

WHAT IS CLAIMED IS:

1. A fungicidal composition comprising a synergistic fungicidally effective amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being 5 between 0.02 and 5.

2. A fungicidal composition according to Claim 1, 10 wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

3. A fungicidal composition according to Claim 1, 15 wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide.

4. A fungicidal composition according to Claim 1, 20 wherein the A/B ratio by weight is between 0.0625 and 1.33.

5. A fungicidal composition according to Claim 1, 25 wherein the A/B ratio by weight is between 0.05 and 5.

6. A fungicidal composition according to Claim 1, 30 wherein the A/B ratio by weight is between 0.17 and 1.33.

7. A fungicidal composition according to Claim 1, wherein the A/B ratio by weight is between 0.02 and 2.

8. A fungicidal composition according to Claim 1, wherein the A/B ratio by weight is between 0.0625 and 0.25.

9. A fungicidal composition according to Claim 1, further comprising at least one member selected from the group consisting of an agriculturally acceptable solid or liquid vehicle and an agriculturally acceptable surface-active agent.

10. A fungicidal composition according to Claim 9, comprising from 0.05% to 95% by weight of compounds A and B.

11. A process for the curative or preventative control of phytopathogenic fungi in plants, said process comprising applying to plants or to the locus in which they grow a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5.

12. A process according to Claim 11, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

13. A process according to Claim 11, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

14. A process according to Claim 11, wherein the A/B ratio by weight is between 0.0625 and 1.33.

15. A process according to Claim 11, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops or lawns to control fungi

which are phytopathogenic towards crops or lawns, respectively.

16. A process according to Claim 15, wherein  
5 compound A is methyl-(E)-methoxyimino[ $\alpha$ -(*o*-tolyloxy)-*o*-tolyl]acetate.

17. A process according to Claim 15, wherein  
10 compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

18. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the plants.

15 19. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops and wherein the A/B ratio by weight is between 0.05 and 5.

20 20. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops and wherein the A/B ratio by weight is between 0.17 and 1.33.

25 21. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops at a dose rate of between 150 and 1500 g/ha.

30 22. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops at a dose rate of between 400 and 1000 g/ha.

23. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to lawns and wherein the A/B ratio by weight is between 0.02 and 2.

5

24. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to lawns and wherein the A/B ratio by weight is between 0.0625 and 0.25.

10

25. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to lawns at a dose rate of between 1100 and 7000 g/ha.

15

26. A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to lawns at a dose rate of between 2250 and 5000 g/ha.

DOCUMENT SOURCE